

1 제품소개






2. 안전을 위한 꾸의 사항

3









,

오음이 심하고 이상한 오리가 나요?



가

,

가

)가

가

응, 왕· 하는 오리

가

가

꾸르륵 물흐르는 오리

가 ,

드르릭 달칵~하는 오리

> 뚝, 딱 하는

| | 사용 | 사용 리

()

) , 가





냉짱고의 식품이 차갑지 않아요?







냉각이 짤 되지 않나요?

? 기 ? 220V가 ?





냉장고의 식품이 얼어요?

. 가 ?? 가 10°C 10°C



가



냉짱고에서 냄새가 나거나 이슬이 맺혀요?

냉장고에서 냄새가 나요?

가 가 . 가 . 가 ?

냉장고에 이슬이 맺혀요?

냉짱고 측면, 윗면이 따뜻해요?


, ()

냉장고 문이 잘 닫히지 않나요?


가 ? ? .



짱 오 선 택




(5cm	,	10cm	,	7cm	.)
	가					
	가 ·		가			



수 평 쪼 정








접 지

```
가 AC220V 가 가 ... 가 AC220V ... 가 ) ( 15mA, 7.5mA) 가 , , , , ... 가 ...
```

쩐 윈 연 결

2201/




110V 110V (:1kVA) アト

식품녕기

3



냉장실 온도쪼절




냉동일 온도쪼껄

SRD281KN

중 강동계 약 중 강동계 약 중 강동계 약 중 강동계 가 10°C

6. 얼음 얼리는 방법





7. 실내등을 교환할때 반드시 서비스 센터에 연락하시어, 교환받으시기 바랍니다.

240V 15W

8. 냉장고 운반 방법

- 2
- 3
- 4
- 5) 71

9. 올바른 식품저장 방법


식품을 넣기 전에

가 . (가 .)

식품 보관 방법
















.

가 2~3	가	가	
	가		

10. 정결을 위한 정오 방법

청소하기전

냉장고 외부

.

냉장고 내부

.

청소 끝난후



, ,


<u>e</u>		(2~3	가 가		
0 5	ł	(가	가	2~3 .)	
	I	(가 . 가 .)	

깨활용정보

제품규격

	SRD281KN
	2821
	57kg
(가 × ×)	600 x 1636 x 678mm
	1, 1, ()
/	220V/60Hz

*	
()
5001	8,000
3001	6,000
3001	4,000
*	가 .




삼성전자주식회사

3 416

1588-3366

제품모델명, 고장상태, 연락처를 정확히 알려주시면 고객여러분의 궁금점을 언제나 친절하게 상담, 삐른 서비스를제공합니다.





삼성냉장고사용설명서 SRD281KN

